



WHAT IS CLAIMED IS:

1. A topically applicable cosmetic/dermatological composition suited for the UV-protection of the skin, hair, lips and/or integuments, comprising (i) an effective UV-photoprotecting amount of at least one 1,3,5-triazine sunscreen, and (ii) as a solubilizing agent therefor, a thus effective amount of at least one mixed phthalimide eutectic.
2. The cosmetic/dermatological composition as defined by Claim 1, said at least one mixed phthalimide eutectic comprising (a) n-butylphthalimide having the structural formula (1):



and (b) isopropylphthalimide having the structural formula (2):




3. The cosmetic/dermatological composition as defined by Claim 2, said at least one mixed phthalimide eutectic comprising from 60% to 75% by weight of said n-butylphthalimide.

4. The cosmetic/dermatological composition as defined by Claim 3, said at least one mixed phthalimide eutectic being selected from the group consisting of: n-butylphthalimide/isopropylphthalimide (60/40% by weight), n-butylphthalimide/isopropylphthalimide (62/38% by weight),
5 n-butylphthalimide/isopropylphthalimide (65/35% by weight), n-butylphthalimide/isopropylphthalimide (70/30% by weight), and n-butylphthalimide/isopropylphthalimide (75/25% by weight).

5. The cosmetic/dermatological composition as defined by Claim 2, said at
10 least one mixed phthalimide eutectic comprising from 0.1 % to 50% by weight thereof.






6. The cosmetic/dermatological composition as defined by Claim 2, said at
15 least one mixed phthalimide eutectic comprising from 1 % to 30% by weight thereof.




7. The cosmetic/dermatological composition as defined by Claim 2, said at least one 1,3,5-triazine sunscreen having the structural formula (I):






20

in which the radicals A_1 , A_2 and A_3 , which may be identical or different, are each a radical of formulae (II) to (IX) below:






- in which each of the groups X_a , which may be identical or different, is oxygen or -NH-; each of the groups R_a , which may be identical or different, is hydrogen; an alkali metal; an ammonium radical optionally substituted with one or more linear or branched C_1 - C_{18} alkyl or linear or branched C_1 - C_{18} hydroxyalkyl radicals; a linear or branched C_1 - C_{18} radical; a C_5 - C_{12} cycloalkyl radical optionally substituted with one or more C_1 - C_4 alkyl radicals; a polyoxyethylenated radical comprising from 1 to 6 ethylene oxide units, the terminal OH group of which is methylated; a radical of formula (X), (XI) or (XII) below:




in which R_8 is hydrogen or a methyl radical; R_9 is a C_1 - C_9 alkyl radical; q is an integer equal to 0; 1; 2; 3; r is an integer equal to 1; 2; 3; 4; 5; 6; 7; 8; 9; 10; A is a C_4 - C_8 alkyl radical or a C_5 - C_8 cycloalkyl radical; B is a linear or branched C_1 - C_8 alkyl radical; a C_5 - C_8 cycloalkyl radical; an aryl radical optionally substituted with one or more C_1 - C_4 alkyl radicals; R_1 is a C_3 - C_{18} alkyl radical; a C_2 - C_{18} alkenyl radical; a radical of formula $-\text{CH}_2-\text{CH}(\text{OH})-\text{CH}_2-\text{OT}_1$ in which T_1 is a hydrogen atom or a C_1 - C_8 alkyl radical; a radical of formula (XIII) below:



10

in which R_{13} is a covalent bond; a linear or branched C_1 - C_4 alkyl radical or a radical of formula $-\text{C}_{m1}\text{H}_{2m1}-\text{O}-$ in which m_1 is an integer equal to 1; 2; 3; 4; p_1 is an integer equal to 0; 1; 2; 3; 4; 5; the radicals R_{10} , R_{11} and R_{12} , which may be

identical or different, are each a C₁-C₁₈ alkyl radical; a C₁-C₁₈ alkoxy radical or a radical of formula:



- 5 in which R₁₄ is a C₁-C₁₀ alkyl radical; R₂ is a hydrogen atom, a linear or branched C₁-C₄ alkyl radical or a C₁-C₄ alkoxy radical; R₃ and R₄, which may be identical or different, are each a linear or branched C₁-C₂₀ alkyl radical; R₅ is a hydrogen atom or a phenyl radical optionally substituted with a halogen or with a C₁-C₄ alkyl radical or with a C₁-C₄ alkoxy radical; R₆ is a linear or branched C₁-C₈ alkyl radical or a C₁-C₃ alkoxy radical, with the proviso that, in the latter instance, two adjacent radicals R₆ on the same aromatic nucleus can together form an alkylidenedioxy group in which the alkylidene group contains 1 or 2 carbon atoms, OH, NHCOCH₃ or NH₂; R₇ is a hydrogen atom, a C₁-C₁₀ alkyl radical, a radical of formula: -(CH₂CHR₅-O)_{n1}R₈ in which n1 is a number ranging from 1 to 16, or a radical of structure -CH₂-CH-(OH)-CH₂OT₁ in which R₈ and T₁ are as defined above; Z is oxygen, sulfur, -NH- or -NR₃- in which R₃ is a linear or branched C₁-C₂₀ alkyl radical; p is 0, 1, 2 or 3; A₁ can also be a halogen, a radical -N(R₃)₂, the two radicals R₃ together optionally forming a ring of 4 or 5 carbon atoms, or a group -OR₃ in which R₃ is as defined above.

20

8. The cosmetic/dermatological composition as defined by Claim 7, said at least one 1,3,5-triazine sunscreen having the structural formula (I) in which A₁, A₂ and A₃ are of formula (II) and have all of the following characteristics:

one of the radicals X_a-R_a is a radical-NH- R_a in which R_a is a C_5-C_{12} cycloalkyl radical optionally substituted with one or more C_1-C_4 alkyl radicals; a radical of formula (X), (XI) or (XII) above in which:

B is a C_1-C_4 alkyl radical;

5 R_9 is a methyl radical;

the other two radicals X_a-R_a are each a radical -O- R_a in which the radicals R_a , which may be identical or different, are each hydrogen; an alkali metal; an

ammonium radical optionally substituted with one or more alkyl or hydroxyalkyl radicals; a linear or branched C_1-C_{18} alkyl radical; a C_5-C_{12} cycloalkyl radical

10 optionally substituted with one or more C_1-C_4 alkyl radicals; a radical of formula (X), (XI) or (XII) above in which:

B is a C_1-C_4 alkyl radical; and

R_9 is a methyl radical.

15 9. The cosmetic/dermatological composition as defined by Claim 7, said at least one 1,3,5-triazine sunscreen having the structural formula (I) in which A_1 , A_2 and A_3 are of formula (II) and have all of the following characteristics:

one or two radicals X_a-R_a is a radical -NH- R_a , in which R_a is a linear or branched C_1-C_{18} alkyl radical; a C_5-C_{12} cycloalkyl radical optionally substituted with one or

20 more C_1-C_4 alkyl radicals; a radical of formula (X), (XI) or (XII) above in which:

B is a C_1-C_4 alkyl radical;

R_9 is a methyl radical;


the other or the other two radical(s) X_a-R_a being a radical -O- R_a in which the radicals R_a , which may be identical or different, are each hydrogen; an alkali

25 metal; an ammonium radical optionally substituted with one or more alkyl or hydroxyalkyl radicals; a linear or branched C_1-C_{18} alkyl radical; a C_5-C_{12} cycloalkyl radical optionally substituted with one or more C_1-C_4 alkyl radicals; a radical of formula (X), (XI) or (XII) above in which:

B is a C_1-C_4 alkyl radical; and

R₉ is a methyl radical.

10. The cosmetic/dermatological composition as defined by Claim 9, said at least one 1,3,5-triazine sunscreen comprising 2-[(p-(tert-butylamido)-anilino]-4,6-bis[(p-(2'-ethylhexyl-1'-oxycarbonyl)-anilino]-1,3,5-triazine, having the following structural formula:




in which R' is a 2-ethylhexyl radical and R is a tert-butyl radical.

10

11. The cosmetic/dermatological composition as defined by Claim 7, said at least one 1,3,5-triazine sunscreen having the structural formula (I) in which A₁, A₂ and A₃ are of formula (II) and have all of the following characteristics:
- the radicals X_a are identical and each is oxygen;
 - the radicals R_a, which may be identical or different, are each a C₆-C₁₂ alkyl radical or a polyoxyethylenated radical comprising from 1 to 6 ethylene oxide units, the terminal OH group of which is methylated.
- 15

12. The cosmetic/dermatological composition as defined by Claim 11, said at least one 1,3,5-triazine sunscreen comprising 2,4,6-tris[p(2'-ethylhexyl-1'-oxycarbonyl)anilino]-1,3,5-triazine, having the following structural formula:



5

in which R' is a 2-ethylhexyl radical.


13. The cosmetic/dermatological composition as defined by Claim 7, said at least one 1,3,5-triazine sunscreen having the structural formula (I) in which A₁ and A₂ are of formula (III) and A₃ is of formula (IX) and have all of the following characteristics:

the radicals R₁, which may be identical or different, are each a C₃-C₁₈ alkyl radical; a C₂-C₁₈ alkenyl radical or a radical of formula -CH₂-CH(OH)-CH₂-OT₁ in which T₁ is a hydrogen atom or a C₁-C₈ alkyl radical; and R₇ is a hydrogen atom or a C₁-C₁₀ alkyl radical.

15

14. The cosmetic/dermatological composition as defined by Claim 13, said at least one 1,3,5-triazine sunscreen comprising 2,4-bis{[4-2-ethylhexyloxy)]-2-hydroxy]phenyl}-6-(4-methoxyphenyl)-

1,3,5-triazine, having the following structural formula:



in which R' is a 2-ethylhexyl radical.

5

15. The cosmetic/dermatological composition as defined by Claim 7, said at least one 1,3,5-triazine sunscreen having the structural formula (I) in which A₁, A₂ and A₃ are of formulae (VII) to (XI).

10 16. The cosmetic/dermatological composition as defined by Claim 15, said at least one 1,3,5-triazine sunscreen being selected from the group consisting of:

2,4,6-tris(diisobutyl 4'-aminobenzal-malonate)-s-triazine,

2,4,6-tris(bis(2-ethylhexyl) 4'-aminobenzal-malonate)-s-triazine,

2,4,6-tris(bis(2-ethylhexyl) 4'-aminobenzal-malonate)-6-chloro-s-triazine,

15 2,4,6-tris(bis(2-ethylhexyl) 4'-aminobenzal-malonate)-6-(2-ethylhexyl 4'-aminobenzoate)-s-triazine,

2,4,6-tris(diisobutyl 4'-aminobenzal-malonate)-6-butoxy-s-triazine,

2,4,6-tris(diisobutyl 4'-aminobenzal-malonate)-6-(2-ethylhexylamino)-s-triazine,

2,4-bis(4'-aminobenzylidenecamphor)-6-(2-ethylhexylamino)-s-triazine,

20 2,4-bis(4'-aminobenzylidenecamphor)-6-(diisobutyl 4'-aminobenzal-malonate)-

s-triazine,

2,4,6-tris(diethyl 4'-aminobenzalmalonate)-s-triazine,

2,4,6-tris(diisopropyl 4'-aminobenzalmalonate)-s-triazine,

2,4,6-tris(dimethyl 4'-aminobenzalmalonate)-s-triazine,

5 2,4,6-tris(ethyl a-cyano-4-aminocinnamate)-s-triazine,

2,4,6-tris[(3'-benzotriazol-2-yl-2'-hydroxy-5'-methyl)phenylamino]-s-triazine, and

2,4,6-tris[(3'-benzotriazol-2-yl-2'-hydroxy-5'-tert-octyl)phenylamino]-s-triazine.

17. The cosmetic/dermatological composition as defined by Claim 16, said at
10 least one 1,3,5-triazine sunscreen comprising 2,4,6-tris(diisobutyl
4'-aminobenzalmalonate)-s-triazine.

18. The cosmetic/dermatological composition as defined by Claim 2, said at
least one 1,3,5-triazine sunscreen comprising from 0.05% to 15% by weight
15 thereof.

19. The cosmetic/dermatological composition as defined by Claim 2, said at
least one 1,3,5-triazine sunscreen comprising from 0.1% to 10% by weight
thereof.

20. The cosmetic/dermatological composition as defined by Claim 2, further
comprising at least one additional organic UV-screening agent and/or at least one
additional mineral UV-screening agent, which is water-soluble, liposoluble or
insoluble in a conventional cosmetic solvent.

21. The cosmetic/dermatological composition as defined by Claim 20,
comprising at least one additional organic UV-screening agent selected from the
group consisting of anthranilates; cinnamic derivatives; dibenzoylmethane
derivatives; salicylic derivatives; camphor derivatives; benzophenone derivatives;
25

β,β -diphenyl-acrylate derivatives; benzotriazole derivatives; benzalmalonate derivatives; benzimidazole derivatives; imidazolines; bis-benzazolyl derivatives; p-amino-benzoic acid (PABA) derivatives; methylenebis(hydroxy-phenylbenzotriazole) derivatives; benzoxazole derivatives;
5 UV-screening polymers and UV-screening silicones; dimers derived from α -alkyl-styrene; 4,4-diarylbutadienes, and mixtures thereof.


22. The cosmetic/dermatological composition as defined by Claim 21, further comprising at least one additional organic UV-screening agent selected from the
10 group consisting of:
ethylhexyl salicylate,
ethylhexyl methoxycinnamate,
octocrylene,
phenylbenzimidazolesulfonic acid,
15 benzophenone-3,
benzophenone-4,
benzophenone-5,
n-hexyl 2-(4-diethylamino-2-hydroxybenzoyl)-benzoate,
4-methylbenzylidenecamphor,
20 terephthalylidenedicamphorsulfonic acid,
disodium phenyldibenzimidazole tetrasulfonate,
methylenebis(benzotriazolyl)tetramethylbutylphenol,
Drometrizole trisiloxane,
Polysilicone-15
25 1,1-dicarboxy(2,2'-dimethylpropyl)-4,4-diphenyl-butadiene,
2,4-bis-[5-1(dimethylpropyl)benzoxazol-2-yl-(4-phenyl)-imino]-6-(2-ethylhexyl)-
imino-1,3,5-triazine
and mixtures thereof.

23. The cosmetic/dermatological composition as defined by Claim 20, comprising at least one additional mineral UV-screening agent selected from among coated or uncoated metal oxide pigments or nanopigments.
- 5 24. The cosmetic/dermatological composition as defined by Claim 23, said at least one additional mineral UV-screening agent comprising nanopigments of titanium oxide, amorphous or crystallized in rutile and/or anatase form, of iron oxide, of zinc oxide, of zirconium oxide or of cerium oxide.
- 10 25. The cosmetic/dermatological composition as defined by Claim 20, said at least one additional UV-screening agent comprising from 0.1 % to 20 % by weight thereof.
- 15 26. The cosmetic/dermatological composition as defined by Claim 20, said at least one additional UV-screening agent comprising from 0.2 % to 15 % by weight thereof.
- 20 27. The cosmetic/dermatological composition as defined by Claim 2, further comprising at least one cosmetic adjuvant selected from the group consisting of fatty substances, organic solvents, emulsifiers, ionic or nonionic thickeners, softeners, antioxidants, free-radical scavengers, opacifiers, stabilizers, emollients, silicones, α -hydroxy acids, antifoams, moisturizers, vitamins, insect repellents, fragrances, preservatives, surfactants, anti-inflammatory agents, substance P antagonists, fillers, polymers, propellants, acidifying or basifying agents and
25 dyes/colorants.
28. The cosmetic/dermatological composition as defined by Claim 2, formulated as a suspension or dispersion, a nonionic vesicular dispersion, an


emulsion, an ointment, a gel, a cream-gel, a solid tube, a powder, wipes, an aerosol mousse or a spray.

29. The cosmetic/dermatological composition as defined by Claim 2,
5 formulated as a makeup composition for the eyelashes, the eyebrows, the nails or the skin and comprising a solid or a paste, whether anhydrous or aqueous.
30. The cosmetic/dermatological composition as defined by Claim 2,
formulated for protecting the hair against ultraviolet radiation and comprising a
10 shampoo, a lotion, a gel, an emulsion or a nonionic vesicular dispersion.
31. A regime or regimen for UV-photoprotecting the skin, hair, lips and/or
integuments against the damaging effects of UV radiation, comprising topically
applying thereon a thus effective amount of the cosmetic/dermatological
15 composition as defined by Claim 1.
32. A regime or regimen for UV-photoprotecting the skin, hair, lips and/or
integuments against the damaging effects of UV radiation, comprising topically
applying thereon a thus effective amount of the cosmetic/dermatological
20 composition as defined by Claim 2.
33. A method for improving the sun protection factor, the cosmetic properties
and/or the stability of a cosmetic/dermatological composition suited for UV-
photoprotecting the skin, hair, lips and/or integuments against the damaging
25 effects of UV radiation and comprising at least one 1,3,5-triazine sunscreen,
comprising formulating therewith at least one n-butylphthalimide/
isopropylphthalimide eutectic mixture.

34. A topically applicable cosmetic/dermatological composition suited for UV-photoprotecting the skin, hair, lips and/or integuments against the damaging effects of UV radiation, which comprises (i) an effective UV-photoprotecting amount of at least one 1,3,5-triazine sunscreen, and (ii) an amount of at least one eutectic mixture sufficient to dissolve all of said at least one 1,3,5-triazine sunscreen, said at least one eutectic mixture comprising (a) n-butylphthalimide having the structural formula (1):
- 5



- 10 and (b) isopropylphthalimide having the structural formula (2):



formulated into a topically applicable, cosmetically/dermatologically acceptable medium therefor.